



2 & 2.5 - Standard Geometry
T-A (Diam.) T-A Carbide Diamond Coated Drill Blade
Carbide

Diameter Tolerances : **-0.0002"/-0.0012"**
 Thickness Tolerances :

Material	Imperial Fract. Diam.	Metric Diam.	Imperial Dec. Diam.	Imperial Fract. Thick.	Diamond (CVD)
N2	31/32	24,61	0.9688	3/16	1N22D-0031
	63/64	25,00	0.9843		1N22D-25
	1	25,40	1.0000		1N22D-0100
	1-1/64	25,80	1.0156		1N22D-1.015
		26,00	1.0236		1N22D-26
	1-1/32	26,19	1.0313		1N22D-0101
	1-3/64	26,59	1.0469		1N22D-1.046
	1-1/16	26,99	1.0625		1N22D-0102
		27,00	1.0630		1N22D-27
	1-3/32	27,78	1.0938		1N22D-0103
		28,00	1.1024		1N22D-28
	1-7/64	28,18	1.1094		1N22D-1.109
	1-1/8	28,58	1.1250		1N22D-0104
		29,00	1.1417		1N22D-29
	1-5/32	29,37	1.1562		1N22D-0105
		30,00	1.1811		1N22D-30
	1-3/16	30,16	1.1875		1N22D-0106
	1-7/32	30,96	1.2188		1N22D-0107
		31,00	1.2205		1N22D-31
	1-1/4	31,75	1.2500		1N22D-0108
		32,00	1.2598		1N22D-32
	1-9/32	32,54	1.2813		1N22D-0109
		33,00	1.2992		1N22D-33
	1-5/16	33,34	1.3125		1N22D-0110
		34,00	1.3386		1N22D-34
	1-11/32	34,13	1.3438		1N22D-0111
	1-3/8	34,93	1.3750		1N22D-0112
		35,00	1.3780		1N22D-35